



University of
Sheffield

School of
Health &
Related Research

Smoking and the risks of adult diseases

Version 1.2.2

October 2018

Laura Webster¹, Colin Angus¹, Alan Brennan¹, Duncan Gillespie¹

¹School of Health and Related Research (SchARR), The University of Sheffield

Address for correspondence:

Dr Duncan Gillespie
Section of Health Economics and Decision Science,
School for Health and Related Research,
The University of Sheffield,
Regent Court, Regent Street, Sheffield, S1 4DA, UK
Email: duncan.gillespie@sheffield.ac.uk

The code that accompanies this vignette can be found in the `tobalcepi` R package <https://stapm.github.io/tobalcepi/> (Github code repository <https://github.com/STAPM/tobalcepi>).

This vignette is a working version of the content in: Webster, Laura; Angus, Colin; Brennan, Alan; Gillespie, Duncan (2018): Smoking and the risks of adult diseases. The University of Sheffield. <https://doi.org/10.15131/shef.data.7411451>

Therefore the citation above should be used for this vignette. This vignette differs from the report cited above in being produced by the code within the `tobalcepi` R package. This vignette therefore presents the risk functions and acts as a means to quality assure the code in the `tobalcepi` R package.

Contents

1	Acknowledgements	2
2	Introduction	2
3	Cancers	28
3.1	Oral cavity (C00–C06), and pharyngeal (C09, C10, C12–C14)	28
3.2	Oesophageal (C15)	28
3.3	Colorectal (C18–C20)	28
3.4	Liver (C22)	28
3.5	Pancreatic (C25)	28
3.6	Laryngeal (C32)	28
3.7	Stomach (C16)	29
3.8	Lung (C33–C34)	29
3.9	Cervical (C53)	29
3.10	Kidney (C64)	29
3.11	Lower urinary tract (C65–C66)	29
3.12	Bladder (C67)	29
3.13	Acute myeloid leukaemia (C92)	29
3.14	Nasal-sinuses and nasopharynx (C11, C30–C31)	29
4	Cardiovascular conditions	29
5	Respiratory conditions	30
6	Mental health	30
7	Other adult diseases	30
8	Conditions less common among smokers	30
9	Decline in risk over time after quitting smoking	30
10	Tables	52
	References	55

1 Acknowledgements

The authors would like to thank John Britton of the University of Nottingham and UK Centre for Tobacco and Alcohol Studies, Katrina Brown of Cancer Research UK for their advice and input at various stages of the preparation of this document.

2 Introduction

This document presents our list of **52** adult diseases related to smoking and the corresponding relative risks of disease due to smoking, explaining our choices of disease definitions and risk sources. Figure ?? shows the variation in disease-specific risks. We focus on the risks of current smoking and limit ourselves to diseases that affect the consumer themselves e.g. excluding secondary effects of smoking on children. We assume the equivalence of relative risks and odds ratios. Our starting point was the Royal College of Physician’s (RCP) report “Hiding in plain sight: Treating tobacco dependency in the NHS” ([Tobacco Advisory Group of the Royal College of Physicians 2018](#)), which reviewed smoking–disease associations to produce an updated list of diseases that are caused by smoking and updated risk sources. We mainly keep to the RCP report’s disease list, with any deviations from the RCP list and risk sources being for one of two reasons:

1. There are often slightly conflicting ICD-10 code definitions used for some conditions and we have sought to harmonise these consistently across both tobacco and alcohol, based on the Sheffield Alcohol Policy Model (SAPM) v4.0 disease list ([Angus et al. 2018](#));
2. Since publication of the RCP report, Cancer Research UK (CRUK) produced their own disease list and risk sources for cancers attributable to modifiable risk factors, including tobacco and alcohol ([Brown et al. 2018](#)). Discussions with CRUK shaped the disease definitions in our updated Sheffield disease list for alcohol. Where there are differences in the risk sources used in the RCP report and CRUK's work, we take the estimate that matches most closely to our disease definitions, or the more recent estimate.

1.49	1.88	21			
#> 22:			Ideopathic pulmonary fibrosis	Respiratory	1.580
1.27	1.97	22			
#> 23:			Asthma	Respiratory	1.610
1.07	2.42	23			
#> 24:			Depression	Mental health	1.620
1.10	2.40	24			
#> 25:			Stomach cancer	Cancer	1.740
1.50	2.02	25			
#> 26:			Crohn's disease	Other	1.760
1.74	2.22	26			
#> 27:			Psoriasis	Other	1.780
1.52	2.06	27			
#> 28:			Cervical cancer	Cancer	1.830
1.51	2.21	28			
#> 29:			Haemorrhagic stroke (female)	Cardiovascular	1.830
1.58	2.12	29			
#> 30:			Ischaemic stroke (female)	Cardiovascular	1.830
1.58	2.12	30			
#> 31:			Age-related macular degeneration	Other	1.860
1.27	2.73	31			
#> 32:			Pancreatic cancer	Cancer	1.900
1.48	2.43	32			
#> 33:			Cancer of the oral cavity	Cancer	1.910
1.06	3.42	33			
#> 34:			End-stage renal disease	Other	1.910
1.39	2.64	34			
#> 35:			Nasal sinus and nasopharyngeal cancer	Cancer	1.950
1.31	2.91	35			
#> 36:			Obstructive sleep apnoea	Respiratory	1.970
1.02	3.82	36			
#> 37:			Hearing loss	Other	1.970
1.44	2.70	37			
#> 38:			Rheumatoid arthritis	Other	2.020
1.75	2.33	38			
#> 39:			Pneumonia	Respiratory	2.180
1.69	2.80	39			
#> 40:			Psychosis	Mental health	2.180
1.23	3.85	40			
#> 41:			Shizophrenia	Mental health	2.240
1.10	4.55	41			
#> 42:			Oesophageal cancer (AC)	Cancer	2.320
1.96	2.75	42			
#> 43:			Bulimia	Mental health	2.320
1.12	4.78	43			
#> 44:			Abdominal aortic aneurysm	Cardiovascular	2.410
1.94	3.01	44			
#> 45:			Peripheral arterial disease	Cardiovascular	2.710
2.28	3.21	45			
#> 46:			Cancer of the lower urinary tract	Cancer	2.770
2.17	3.54	46			
#> 47:			Bladder cancer	Cancer	3.140
2.53	3.75	47			
#> 48:			Ischaemic heart disease (male, 35–64 years)	Cardiovascular	3.180

```

2.34  4.33    48
#> 49:                                Pharyngeal cancer                Cancer  3.430
2.37  4.94    49
#> 50: Ischaemic heart disease (female, 35–64 years) Cardiovascular  3.930
2.56  6.05    50
#> 51:                Chronic obstructive pulmonary disease        Respiratory  4.010
3.18  5.05    51
#> 52:                                Oesophageal cancer (SCC)          Cancer  4.210
3.13  5.66    52
#> 53:                Influenza (microbiologically confirmed)        Respiratory  5.690
2.79 11.60    53
#> 54:                                Laryngeal cancer                Cancer  7.010
5.56  8.85    54
#> 55:                                Lung cancer                    Cancer 10.920
8.28 14.40    55
#>                                condition                group
RR lower upper index
#>                                <char>                <fctr>  <num> <num> <num> <int>
#>
#> $layers
#> $layers[[1]]
#> mapping: x = 1, y = 0, xend = 1, yend = 56
#> geom_segment: arrow = NULL, arrow.fill = NULL, lineend = butt, linejoin = round, na.rm =
#> stat_identity: na.rm = FALSE
#> position_identity
#>
#> $layers[[2]]
#> mapping: xmax = ~upper, xmin = ~lower
#> geom_errorbarh: na.rm = FALSE, height = 0.5
#> stat_identity: na.rm = FALSE
#> position_identity
#>
#> $layers[[3]]
#> geom_point: na.rm = FALSE
#> stat_identity: na.rm = FALSE
#> position_identity
#>
#>
#> $scales
#> <ggproto object: Class ScalesList, gg>
#>   add: function
#>   add_defaults: function
#>   add_missing: function
#>   backtransform_df: function
#>   clone: function
#>   find: function
#>   get_scales: function
#>   has_scale: function
#>   input: function
#>   map_df: function
#>   n: function
#>   non_position_scales: function
#>   scales: list
#>   set_palettes: function

```

```

#>      train_df: function
#>      transform_df: function
#>      super: <ggproto object: Class ScalesList , gg>
#>
#> $mapping
#> $x
#> <quosure>
#> expr: ~RR
#> env:  global
#>
#> $y
#> <quosure>
#> expr: ^index
#> env:  global
#>
#> $colour
#> <quosure>
#> expr: ^group
#> env:  global
#>
#> attr(,"class")
#> [1] "uneval"
#>
#> $theme
#> $line
#> $colour
#> [1] "black"
#>
#> $linewidth
#> [1] 0.5
#>
#> $linetype
#> [1] 1
#>
#> $lineend
#> [1] "butt"
#>
#> $arrow
#> [1] FALSE
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_line" "element"
#>
#> $rect
#> $fill
#> [1] "white"
#>
#> $colour
#> [1] "black"
#>
#> $linewidth

```

```

#> [1] 0.5
#>
#> $linetype
#> [1] 1
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_rect" "element"
#>
#> $text
#> $family
#> [1] ""
#>
#> $face
#> [1] "plain"
#>
#> $colour
#> [1] "black"
#>
#> $size
#> [1] 11
#>
#> $hjust
#> [1] 0.5
#>
#> $vjust
#> [1] 0.5
#>
#> $angle
#> [1] 0
#>
#> $lineheight
#> [1] 0.9
#>
#> $margin
#> [1] 0points 0points 0points 0points
#>
#> $debug
#> [1] FALSE
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $title
#> NULL
#>
#> $aspect.ratio
#> NULL
#>

```

```

#> $axis.title
#> NULL
#>
#> $axis.title.x
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> [1] 1
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 2.75points 0points      0points      0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.title.x.top
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust

```

```

#> NULL
#>
#> $vjust
#> [1] 0
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points      0points      2.75points 0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.title.x.bottom
#> NULL
#>
#> $axis.title.y
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> [1] 1
#>
#> $angle
#> [1] 90
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points      2.75points 0points      0points
#>

```

```

#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.title.y.left
#> NULL
#>
#> $axis.title.y.right
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> [1] 0
#>
#> $angle
#> [1] -90
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points    0points    0points    2.75points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.text
#> $family
#> NULL
#>
#> $face

```

```

#> NULL
#>
#> $colour
#> [1] "grey30"
#>
#> $size
#> [1] 0.8 *
#>
#> $hjust
#> NULL
#>
#> $vjust
#> NULL
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> NULL
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.text.x
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> [1] 1
#>
#> $angle
#> NULL
#>

```

```

#> $lineheight
#> NULL
#>
#> $margin
#> [1] 2.2points 0points 0points 0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.text.x.top
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> [1] 0
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points 0points 2.2points 0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.text.x.bottom
#> NULL

```

```

#>
#> $axis.text.y
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> [1] 1
#>
#> $vjust
#> NULL
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points 2.2points 0points 0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.text.y.left
#> NULL
#>
#> $axis.text.y.right
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>

```

```

#> $hjust
#> [1] 0
#>
#> $vjust
#> NULL
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points    0points    0points    2.2points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.ticks
#> $colour
#> [1] "grey20"
#>
#> $linewidth
#> NULL
#>
#> $linetype
#> NULL
#>
#> $lineend
#> NULL
#>
#> $arrow
#> [1] FALSE
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_line" "element"
#>
#> $axis.ticks.x
#> NULL
#>
#> $axis.ticks.x.top
#> NULL
#>
#> $axis.ticks.x.bottom
#> NULL

```

```

#>
#> $axis.ticks.y
#> NULL
#>
#> $axis.ticks.y.left
#> NULL
#>
#> $axis.ticks.y.right
#> NULL
#>
#> $axis.ticks.length
#> [1] 2.75 points
#>
#> $axis.ticks.length.x
#> NULL
#>
#> $axis.ticks.length.x.top
#> NULL
#>
#> $axis.ticks.length.x.bottom
#> NULL
#>
#> $axis.ticks.length.y
#> NULL
#>
#> $axis.ticks.length.y.left
#> NULL
#>
#> $axis.ticks.length.y.right
#> NULL
#>
#> $axis.line
#> $colour
#> [1] "black"
#>
#> $linewidth
#> [1] 1 *
#>
#> $linetype
#> NULL
#>
#> $lineend
#> NULL
#>
#> $arrow
#> [1] FALSE
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_line" "element"
#>
#> $axis.line.x

```

```

#> NULL
#>
#> $axis.line.x.top
#> NULL
#>
#> $axis.line.x.bottom
#> NULL
#>
#> $axis.line.y
#> NULL
#>
#> $axis.line.y.left
#> NULL
#>
#> $axis.line.y.right
#> NULL
#>
#> $legend.background
#> $fill
#> NULL
#>
#> $colour
#> [1] NA
#>
#> $linewidth
#> NULL
#>
#> $linetype
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_rect" "element"
#>
#> $legend.margin
#> [1] 5.5 points 5.5 points 5.5 points 5.5 points
#>
#> $legend.spacing
#> [1] 11 points
#>
#> $legend.spacing.x
#> NULL
#>
#> $legend.spacing.y
#> NULL
#>
#> $legend.key
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $legend.key.size

```

```

#> [1] 1.2 lines
#>
#> $legend.key.height
#> NULL
#>
#> $legend.key.width
#> NULL
#>
#> $legend.text
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> [1] 0.8 *
#>
#> $hjust
#> NULL
#>
#> $vjust
#> NULL
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> NULL
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $legend.text.align
#> NULL
#>
#> $legend.title
#> $family
#> NULL
#>
#> $face
#> NULL

```

```

#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> [1] 0
#>
#> $vjust
#> NULL
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> NULL
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $legend.title.align
#> NULL
#>
#> $legend.position
#> [1] "bottom"
#>
#> $legend.direction
#> NULL
#>
#> $legend.justification
#> [1] "center"
#>
#> $legend.box
#> NULL
#>
#> $legend.box.just
#> NULL
#>
#> $legend.box.margin
#> [1] 0cm 0cm 0cm 0cm
#>
#> $legend.box.background
#> list()

```

```

#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $legend.box.spacing
#> [1] 11points
#>
#> $panel.background
#> $fill
#> [1] "white"
#>
#> $colour
#> [1] NA
#>
#> $linewidth
#> NULL
#>
#> $linetype
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_rect" "element"
#>
#> $panel.border
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $panel.spacing
#> [1] 5.5points
#>
#> $panel.spacing.x
#> NULL
#>
#> $panel.spacing.y
#> NULL
#>
#> $panel.grid
#> $colour
#> [1] "grey92"
#>
#> $linewidth
#> NULL
#>
#> $linetype
#> NULL
#>
#> $lineend
#> NULL
#>
#> $arrow
#> [1] FALSE

```

```

#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_line" "element"
#>
#> $panel.grid.major
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $panel.grid.minor
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $panel.grid.major.x
#> NULL
#>
#> $panel.grid.major.y
#> NULL
#>
#> $panel.grid.minor.x
#> NULL
#>
#> $panel.grid.minor.y
#> NULL
#>
#> $panel.ontop
#> [1] FALSE
#>
#> $plot.background
#> $fill
#> NULL
#>
#> $colour
#> [1] "white"
#>
#> $linewidth
#> NULL
#>
#> $linetype
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_rect" "element"
#>
#> $plot.title
#> $family
#> NULL

```

```

#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> [1] 1.2 *
#>
#> $hjust
#> [1] 0
#>
#> $vjust
#> [1] 1
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points 0points 5.5points 0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element__text" "element"
#>
#> $plot.title.position
#> [1] "panel"
#>
#> $plot.subtitle
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> [1] 0
#>
#> $vjust

```

```

#> [1] 1
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points    0points    5.5points 0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $plot.caption
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> [1] 0.8 *
#>
#> $hjust
#> [1] 1
#>
#> $vjust
#> [1] 1
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 5.5points 0points    0points    0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>

```

```

#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $plot.caption.position
#> [1] "panel"
#>
#> $plot.tag
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> [1] 1.2 *
#>
#> $hjust
#> [1] 0.5
#>
#> $vjust
#> [1] 0.5
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> NULL
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $plot.tag.position
#> [1] "topleft"
#>
#> $plot.margin
#> [1] 5.5 points 5.5 points 5.5 points 5.5 points
#>
#> $strip.background
#> $fill
#> [1] "white"
#>
#> $colour

```

```

#> [1] "black"
#>
#> $linewidth
#> [1] 2 *
#>
#> $linetype
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_rect" "element"
#>
#> $strip.background.x
#> NULL
#>
#> $strip.background.y
#> NULL
#>
#> $strip.clip
#> [1] "inherit"
#>
#> $strip.placement
#> [1] "inside"
#>
#> $strip.text
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> [1] "grey10"
#>
#> $size
#> [1] 0.8 *
#>
#> $hjust
#> NULL
#>
#> $vjust
#> NULL
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 4.4points 4.4points 4.4points 4.4points
#>

```

```

#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $strip.text.x
#> NULL
#>
#> $strip.text.x.bottom
#> NULL
#>
#> $strip.text.x.top
#> NULL
#>
#> $strip.text.y
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> NULL
#>
#> $angle
#> [1] -90
#>
#> $lineheight
#> NULL
#>
#> $margin
#> NULL
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"

```

```

#>
#> $strip.text.y.left
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> NULL
#>
#> $angle
#> [1] 90
#>
#> $lineheight
#> NULL
#>
#> $margin
#> NULL
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $strip.text.y.right
#> NULL
#>
#> $strip.switch.pad.grid
#> [1] 2.75 points
#>
#> $strip.switch.pad.wrap
#> [1] 2.75 points
#>
#> attr(,"class")
#> [1] "theme" "gg"
#> attr(,"complete")
#> [1] TRUE
#> attr(,"validate")
#> [1] TRUE
#>

```

```

#> $coordinates
#> <ggproto object: Class CoordCartesian, Coord, gg>
#>   aspect: function
#>   backtransform_range: function
#>   clip: on
#>   default: TRUE
#>   distance: function
#>   draw_panel: function
#>   expand: TRUE
#>   is_free: function
#>   is_linear: function
#>   labels: function
#>   limits: list
#>   modify_scales: function
#>   range: function
#>   render_axis_h: function
#>   render_axis_v: function
#>   render_bg: function
#>   render_fg: function
#>   reverse: none
#>   setup_data: function
#>   setup_layout: function
#>   setup_panel_guides: function
#>   setup_panel_params: function
#>   setup_params: function
#>   train_panel_guides: function
#>   transform: function
#>   super: <ggproto object: Class CoordCartesian, Coord, gg>
#>
#> $facet
#> <ggproto object: Class FacetNull, Facet, gg>
#>   attach_axes: function
#>   attach_strips: function
#>   compute_layout: function
#>   draw_back: function
#>   draw_front: function
#>   draw_labels: function
#>   draw_panel_content: function
#>   draw_panels: function
#>   finish_data: function
#>   format_strip_labels: function
#>   init_gtable: function
#>   init_scales: function
#>   map_data: function
#>   params: list
#>   set_panel_size: function
#>   setup_data: function
#>   setup_panel_params: function
#>   setup_params: function
#>   shrink: TRUE
#>   train_scales: function
#>   vars: function
#>   super: <ggproto object: Class FacetNull, Facet, gg>
#>

```

```

#> $plot_env
#> <environment: R_GlobalEnv>
#>
#> $labels
#> $labels$x
#> [1] "RR"
#>
#> $labels$y
#> [1] "index"
#>
#> $labels$colour
#> [1] "group"
#>
#> $labels$xend
#> [1] "xend"
#>
#> $labels$yend
#> [1] "yend"
#>
#> $labels$xmax
#> [1] "upper"
#>
#> $labels$xmin
#> [1] "lower"
#>
#>
#> attr(,"class")
#> [1] "gg" "ggplot"

```

3 Cancers

We include all cancers attributable to tobacco as mentioned by CRUK ([Brown et al. 2018](#)), except ovarian cancer. Smoking only carries a risk for fully malignant mucinous ovarian cancers (13% of ovarian cancers are mucinous, and of these 57% are fully malignant). We excluded ovarian cancer due to the uncertainty involved in identifying the cases attributable to smoking based on the ICD-10 definitions used in our mortality data and hospital episode statistics.

Below we itemise each cancer type and explain how we have synthesised the definitions of cancers and the sources for the relative risk of smoking among the Sheffield alcohol disease list ([Angus et al. 2018](#)), RCP report ([Tobacco Advisory Group of the Royal College of Physicians 2018](#)), and CRUK’s paper ([Brown et al. 2018](#)).

3.1 Oral cavity (C00–C06), and pharyngeal (C09, C10, C12–C14)

Gandini et al. ([2008](#)) estimated the relative risk of smoking for cancer in the oral cavity as 3.43 (95% Confidence Interval 2.37–4.94), and pharyngeal cancers as 6.76 (CI 2.86–16.0). Following Gandini, the RCP report associated the relative risk from Gandini for oral cavity (RR 3.43) with ICD10 code C10, and relative risk for pharyngeal cancer (RR 6.76) with ICD10 code C14. But in line with CRUK, we instead use the risk that Gandini associated with oral cavity cancer (RR 3.43) for pharyngeal cancers with ICD10 codes C09, C10, C12–C14. For oral cavity, we use the risk from Maasland et al. ([2014](#)) of 1.91 (CI 1.06–3.42) with ICD10 codes C00–C06.

3.2 Oesophageal (C15)

Gandini et al. (2008) estimated the relative risks of smoking for cancer of the oesophagus as 2.50 (CI 2.00–3.13). Differing from the RCP report but in-line with CRUK, we split oesophageal cancer into its two main histological types: Squamous Cell Carcinoma (SCC) and Adenocarcinoma (AC). CRUK use different relative risks of smoking for each subtype: following CRUK, for SCC, we use the risk from Prabhu et al. (2013) of 4.21 (CI 3.13–5.66); for AC, we use the risk from Tramacere et al. (2011) of 2.32 (CI 1.96–2.75). We apportion overall oesophageal cancer prevalence between AC and SCC using data on percentage prevalence by age and sex from cancer registries, supplied to us by CRUK.

3.3 Colorectal (C18–C20)

The RCP report used the CHANCES consortium (Ordóñez-Mena et al. 2016) estimate of the relative risk of smoking for colorectal cancer of 1.20 (CI 1.07–1.34). CRUK instead use the estimates of Cheng et al. (Cheng et al. 2015), who produce two separate risks of smoking for cancer of the colon and rectum (RR 1.11, 1.44). To align with the SAPM disease list, we define colorectal cancer as a single disease and use the CHANCES risk estimate in-line with the RCP report.

3.4 Liver (C22)

The RCP report used Lee et al.’s (2009) estimate of the risk of smoking for liver cancer of 1.51 (CI 1.37–1.67). CRUK use the same source but take the sex-specific effects: 1.61 (CI 1.38–1.89) for males and 1.86 (CI 1.33–2.60) for females. Due to the substantial overlap between the sex-specific confidence intervals, we use the overall estimate.

3.5 Pancreatic (C25)

CRUK used Bosetti et al.’s (2011) estimate from the PanC4 study that the risk of smoking for pancreatic cancer is 2.20 (CI 1.71–2.83). The RCP report used the CHANCES consortium (Ordóñez-Mena et al. 2016) estimate of 1.90 (CI 1.48–2.43), and we use this more recent estimate.

3.6 Laryngeal (C32)

The RCP report used Gandini et al.’s (2008) estimate for the relative risks of smoking for cancer of the larynx of 6.98 (CI 3.14–15.52). CRUK used the more recent estimate by Zuo et al. (2017) of 7.01 (CI 5.56–8.85). We use the estimate of Zuo.

3.7 Stomach (C16)

CRUK used the estimate of Ladeiras-Lopes et al. (Ladeiras-Lopes et al. 2008) that put the relative risk of stomach cancer among smokers at 1.62 (CI 1.50–1.75) for males and 1.20 (CI 1.01–1.43) for females. The RCP report used the CHANCES consortium (Ordóñez-Mena et al. 2016) estimate of 1.74 (CI 1.50–2.02), and estimates from Gandini et al. (2008) are similar. We use the CHANCES estimate.

3.8 Lung (C33–C34)

CRUK used Gandini et al.’s (2008) estimate of the relative risk of lung cancer among smokers of 8.96 (CI 6.73–12.11). The RCP report used the more recent 2016 meta-analysis by Jayes et al. (2016) estimates the risk to be 10.92 (CI 8.28–14.40). We use the Jayes estimate.

3.9 Cervical (C53)

Both CRUK and the RCP report use Gandini et al.’s (2008) estimate of the relative risk of cervix cancer among smokers of 1.83 (CI 1.51–2.21).

3.10 Kidney (C64)

The RCP report used Gandini et al.'s (2008) estimate of the relative risk of kidney cancer among smokers of 1.52 (CI 1.33–1.74). CRUK use the more recent meta-analysis by Cumberbatch et al. (2016) of 1.35 (CI 1.13–1.60) but associate this with ICD10 codes C64–C66, C68. We use the Cumberbatch estimate for C64.

3.11 Lower urinary tract (C65–C66)

In-line with the RCP report, we use Gandini et al.'s (2008) estimate of the relative risk of lower urinary tract (renal pelvis, bladder and ureter) cancer of 2.77 (CI 2.17–3.54).

3.12 Bladder (C67)

The RCP report used the estimate by van Osch et al. (2016) for the risk of bladder cancer among smokers of 3.14 (CI 2.53–3.75). CRUK used the same source but took the sex-specific estimates of 3.44 (CI 2.67–4.22) for males, and 3.56 (CI 2.76–4.36) for females. We use the overall estimate.

3.13 Acute myeloid leukaemia (C92)

CRUK used Fircanis et al.'s (2014) estimate of the relative risk of acute myeloid leukaemia among smokers of 1.47 (CI 1.08–1.98) but associate it with ICD10 codes C90–C95. The RCP report used the more recent meta-analysis by Colamesta et al. (2016), which produced a similar estimate of 1.36 (CI 1.11–1.66). In-line with the RCP report, we use the Colamesta estimate and associate it with ICD10 code C92.

3.14 Nasal-sinuses and nasopharynx (C11, C30–C31)

The RCP report and CRUK both used Gandini et al.'s (2008) estimate of the relative risk of smoking for nasopharyngeal (C11) and sino-nasal (C30, C31) cancers of 1.95 (CI 1.31–2.91).

4 Cardiovascular conditions

Our cardiovascular disease list and risk sources are all in-line with the RCP report, which discusses the sources available. To align with the Sheffield alcohol disease list, we split stroke into haemorrhagic (I60–I62) and ischaemic (I63–I67) but use the same smoking risk for each.

5 Respiratory conditions

Our respiratory disease list and risk sources are all in-line with the RCP report. We expand the definition of 'Lower respiratory tract infections' (J09–J18) from the Sheffield alcohol disease list to accommodate the different risks of smoking that the RCP report identified for pneumonia (J12–J18), Influenza – clinically diagnosed (J11), and Influenza – microbiologically confirmed (J09, J10).

6 Mental health

Our mental health disease list and risk sources are all in-line with the RCP report.

7 Other adult diseases

We include 13 further diseases in-line with the RCP report.

8 Conditions less common among smokers

We include 2 diseases in-line with the RCP report.

9 Decline in risk over time after quitting smoking

To estimate the risk of disease for former smokers we used the findings of Kontis et al. (2014), who re-analysed the change in risk after smoking in the ACS-CPS II study from Oza et al.(2011), producing three functions to describe the decline in risk after quitting for each of cancers, CVD and COPD (Figure ??). The estimates were informed by data on former smokers with known quit dates who were disease-free at baseline. The results show the proportion of excess relative risk remaining at each time-point since cessation. A cross-check showed that the figures for cancers were broadly consistent with the findings of the International Agency for Research on Cancer’s (IARC) 2007 review of the decline in risk after quitting smoking (International Agency for Research on Cancer and World Health Organization 2007).

The remaining question is how risk declines after quitting smoking for diseases that are not cancers, CVD or COPD. Kontis et al. (2014) state that “Randomised trials also indicate that the benefits of behaviour change and pharmacological treatment on diabetes risk occur within a few years, more similar to the CVDs than cancers (Knowler et al. 2002). Therefore, we used the CVD curve for diabetes.” In-line with Kontis, we apply the rate of decline in risk of CVD after quitting smoking to type 2 diabetes. For other diseases, we assume that the relative risk reverts to 1 immediately after quitting i.e. an immediate rather than a gradual decline in risk.

```
#> $data
#>      cause_group years_since_cessation excess_risk_percent excess_risk_percent_lb
#>      <char>          <num>          <num>
<num>
#> 1:      CVD          0.00          1.000000e+00
1.000000e+00
#> 2:      CVD          0.25          8.686618e-01
8.085329e-01
#> 3:      CVD          0.50          7.636740e-01
6.672375e-01
#> 4:      CVD          0.75          6.810335e-01
5.664832e-01
#> 5:      CVD          1.00          6.178460e-01
4.990287e-01
#> ——
#> 479:    Cancers      39.00          3.599395e-03
2.262333e-03
#> 480:    Cancers      39.25          2.675872e-03
1.676838e-03
#> 481:    Cancers      39.50          1.768330e-03
1.105030e-03
#> 482:    Cancers      39.75          8.764690e-04
5.462810e-04
#> 483:    Cancers      40.00          1.970000e-13          -5.500000e-13
#>      excess_risk_percent_ub
#>      <num>
#> 1:      1.000000e+00
#> 2:      9.459375e-01
#> 3:      8.943793e-01
#> 4:      8.452033e-01
#> 5:      7.982942e-01
#> ——
#> 479:      4.837307e-03
#> 480:      3.598234e-03
#> 481:      2.379219e-03
#> 482:      1.179920e-03
```

```

#> 483:                2.300000e-12
#>
#> $layers
#> $layers[[1]]
#> mapping: x = ~years_since_cessation , ymin = ~excess_risk_percent_lb , ymax = ~excess_risk
#> geom_ribbon: na.rm = FALSE, orientation = NA, outline.type = both
#> stat_identity: na.rm = FALSE
#> position_identity
#>
#> $layers[[2]]
#> mapping: x = ~years_since_cessation , y = ~excess_risk_percent
#> geom_line: na.rm = FALSE, orientation = NA
#> stat_identity: na.rm = FALSE
#> position_identity
#>
#>
#> $scales
#> <ggproto object: Class ScalesList , gg>
#>   add: function
#>   add_defaults: function
#>   add_missing: function
#>   backtransform_df: function
#>   clone: function
#>   find: function
#>   get_scales: function
#>   has_scale: function
#>   input: function
#>   map_df: function
#>   n: function
#>   non_position_scales: function
#>   scales: list
#>   set_palettes: function
#>   train_df: function
#>   transform_df: function
#>   super: <ggproto object: Class ScalesList , gg>
#>
#> $mapping
#> named list()
#> attr(,"class")
#> [1] "uneval"
#>
#> $theme
#> $line
#> $colour
#> [1] "black"
#>
#> $linewidth
#> [1] 0.5
#>
#> $linetype
#> [1] 1
#>
#> $lineend
#> [1] "butt"

```

```

#>
#> $arrow
#> [1] FALSE
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_line" "element"
#>
#> $rect
#> $fill
#> [1] "white"
#>
#> $colour
#> [1] "black"
#>
#> $linewidth
#> [1] 0.5
#>
#> $linetype
#> [1] 1
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_rect" "element"
#>
#> $text
#> $family
#> [1] ""
#>
#> $face
#> [1] "plain"
#>
#> $colour
#> [1] "black"
#>
#> $size
#> [1] 11
#>
#> $hjust
#> [1] 0.5
#>
#> $vjust
#> [1] 0.5
#>
#> $angle
#> [1] 0
#>
#> $lineheight
#> [1] 0.9
#>

```

```

#> $margin
#> [1] 0points 0points 0points 0points
#>
#> $debug
#> [1] FALSE
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element__text" "element"
#>
#> $title
#> NULL
#>
#> $aspect.ratio
#> NULL
#>
#> $axis.title
#> NULL
#>
#> $axis.title.x
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> [1] 1
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 2.75points 0points      0points      0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE

```

```

#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.title.x.top
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> [1] 0
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points      0points      2.75points 0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.title.x.bottom
#> NULL
#>
#> $axis.title.y
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>

```

```

#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> [1] 1
#>
#> $angle
#> [1] 90
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points      2.75points 0points      0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.title.y.left
#> NULL
#>
#> $axis.title.y.right
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> [1] 0
#>
#> $angle
#> [1] -90
#>
#> $lineheight
#> NULL

```

```

#>
#> $margin
#> [1] 0points      0points      0points      2.75points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.text
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> [1] "grey30"
#>
#> $size
#> [1] 0.8 *
#>
#> $hjust
#> NULL
#>
#> $vjust
#> NULL
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> NULL
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.text.x
#> $family
#> NULL
#>

```

```

#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> [1] 1
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 2.2points 0points 0points 0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.text.x.top
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> [1] 0
#>
#> $angle
#> NULL

```

```

#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points    0points    2.2points 0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.text.x.bottom
#> NULL
#>
#> $axis.text.y
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> [1] 1
#>
#> $vjust
#> NULL
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points    2.2points 0points    0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")

```

```

#> [1] "element_text" "element"
#>
#> $axis.text.y.left
#> NULL
#>
#> $axis.text.y.right
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> [1] 0
#>
#> $vjust
#> NULL
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points    0points    0points    2.2points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $axis.ticks
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $axis.ticks.x
#> NULL
#>
#> $axis.ticks.x.top
#> NULL
#>
#> $axis.ticks.x.bottom

```

```

#> NULL
#>
#> $axis.ticks.y
#> NULL
#>
#> $axis.ticks.y.left
#> NULL
#>
#> $axis.ticks.y.right
#> NULL
#>
#> $axis.ticks.length
#> [1] 2.75 points
#>
#> $axis.ticks.length.x
#> NULL
#>
#> $axis.ticks.length.x.top
#> NULL
#>
#> $axis.ticks.length.x.bottom
#> NULL
#>
#> $axis.ticks.length.y
#> NULL
#>
#> $axis.ticks.length.y.left
#> NULL
#>
#> $axis.ticks.length.y.right
#> NULL
#>
#> $axis.line
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $axis.line.x
#> NULL
#>
#> $axis.line.x.top
#> NULL
#>
#> $axis.line.x.bottom
#> NULL
#>
#> $axis.line.y
#> NULL
#>
#> $axis.line.y.left
#> NULL
#>
#> $axis.line.y.right
#> NULL

```

```

#>
#> $legend.background
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $legend.margin
#> [1] 5.5 points 5.5 points 5.5 points 5.5 points
#>
#> $legend.spacing
#> [1] 11 points
#>
#> $legend.spacing.x
#> NULL
#>
#> $legend.spacing.y
#> NULL
#>
#> $legend.key
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $legend.key.size
#> [1] 1.2 lines
#>
#> $legend.key.height
#> NULL
#>
#> $legend.key.width
#> NULL
#>
#> $legend.text
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> [1] 0.8 *
#>
#> $hjust
#> NULL
#>
#> $vjust
#> NULL
#>
#> $angle
#> NULL
#>

```

```

#> $lineheight
#> NULL
#>
#> $margin
#> NULL
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $legend.text.align
#> NULL
#>
#> $legend.title
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> [1] 0
#>
#> $vjust
#> NULL
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> NULL
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"

```

```

#>
#> $legend.title.align
#> NULL
#>
#> $legend.position
#> [1] "right"
#>
#> $legend.direction
#> NULL
#>
#> $legend.justification
#> [1] "center"
#>
#> $legend.box
#> NULL
#>
#> $legend.box.just
#> NULL
#>
#> $legend.box.margin
#> [1] 0cm 0cm 0cm 0cm
#>
#> $legend.box.background
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $legend.box.spacing
#> [1] 11points
#>
#> $panel.background
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $panel.border
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $panel.spacing
#> [1] 5.5points
#>
#> $panel.spacing.x
#> NULL
#>
#> $panel.spacing.y
#> NULL
#>
#> $panel.grid
#> $colour
#> [1] "grey92"
#>
#> $linewidth

```

```

#> NULL
#>
#> $linetype
#> NULL
#>
#> $lineend
#> NULL
#>
#> $arrow
#> [1] FALSE
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_line" "element"
#>
#> $panel.grid.major
#> NULL
#>
#> $panel.grid.minor
#> $colour
#> NULL
#>
#> $linewidth
#> [1] 0.5 *
#>
#> $linetype
#> NULL
#>
#> $lineend
#> NULL
#>
#> $arrow
#> [1] FALSE
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_line" "element"
#>
#> $panel.grid.major.x
#> NULL
#>
#> $panel.grid.major.y
#> NULL
#>
#> $panel.grid.minor.x
#> NULL
#>
#> $panel.grid.minor.y
#> NULL
#>

```

```

#> $panel.ontop
#> [1] FALSE
#>
#> $plot.background
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $plot.title
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> [1] 1.2 *
#>
#> $hjust
#> [1] 0
#>
#> $vjust
#> [1] 1
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points 0points 5.5points 0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $plot.title.position
#> [1] "panel"
#>
#> $plot.subtitle
#> $family
#> NULL
#>
#> $face
#> NULL

```

```

#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> [1] 0
#>
#> $vjust
#> [1] 1
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 0points    0points    5.5points 0points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $plot.caption
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> [1] 0.8 *
#>
#> $hjust
#> [1] 1
#>
#> $vjust
#> [1] 1
#>
#> $angle
#> NULL
#>
#> $lineheight

```

```

#> NULL
#>
#> $margin
#> [1] 5.5 points 0 points 0 points 0 points
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $plot.caption.position
#> [1] "panel"
#>
#> $plot.tag
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> [1] 1.2 *
#>
#> $hjust
#> [1] 0.5
#>
#> $vjust
#> [1] 0.5
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> NULL
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>

```

```

#> $plot.tag.position
#> [1] "topleft"
#>
#> $plot.margin
#> [1] 5.5 points 5.5 points 5.5 points 5.5 points
#>
#> $strip.background
#> list()
#> attr(,"class")
#> [1] "element_blank" "element"
#>
#> $strip.background.x
#> NULL
#>
#> $strip.background.y
#> NULL
#>
#> $strip.clip
#> [1] "inherit"
#>
#> $strip.placement
#> [1] "inside"
#>
#> $strip.text
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> [1] "grey10"
#>
#> $size
#> [1] 0.8 *
#>
#> $hjust
#> NULL
#>
#> $vjust
#> NULL
#>
#> $angle
#> NULL
#>
#> $lineheight
#> NULL
#>
#> $margin
#> [1] 4.4 points 4.4 points 4.4 points 4.4 points
#>
#> $debug
#> NULL
#>

```

```

#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $strip.text.x
#> NULL
#>
#> $strip.text.x.bottom
#> NULL
#>
#> $strip.text.x.top
#> NULL
#>
#> $strip.text.y
#> $family
#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> NULL
#>
#> $angle
#> [1] -90
#>
#> $lineheight
#> NULL
#>
#> $margin
#> NULL
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $strip.text.y.left
#> $family

```

```

#> NULL
#>
#> $face
#> NULL
#>
#> $colour
#> NULL
#>
#> $size
#> NULL
#>
#> $hjust
#> NULL
#>
#> $vjust
#> NULL
#>
#> $angle
#> [1] 90
#>
#> $lineheight
#> NULL
#>
#> $margin
#> NULL
#>
#> $debug
#> NULL
#>
#> $inherit.blank
#> [1] TRUE
#>
#> attr(,"class")
#> [1] "element_text" "element"
#>
#> $strip.text.y.right
#> NULL
#>
#> $strip.switch.pad.grid
#> [1] 2.75 points
#>
#> $strip.switch.pad.wrap
#> [1] 2.75 points
#>
#> attr(,"class")
#> [1] "theme" "gg"
#> attr(,"complete")
#> [1] TRUE
#> attr(,"validate")
#> [1] TRUE
#>
#> $coordinates
#> <ggproto object: Class CoordCartesian, Coord, gg>
#>   aspect: function

```

```

#> backtransform_range: function
#> clip: on
#> default: TRUE
#> distance: function
#> draw_panel: function
#> expand: TRUE
#> is_free: function
#> is_linear: function
#> labels: function
#> limits: list
#> modify_scales: function
#> range: function
#> render_axis_h: function
#> render_axis_v: function
#> render_bg: function
#> render_fg: function
#> reverse: none
#> setup_data: function
#> setup_layout: function
#> setup_panel_guides: function
#> setup_panel_params: function
#> setup_params: function
#> train_panel_guides: function
#> transform: function
#> super: <ggproto object: Class CoordCartesian, Coord, gg>
#>
#> $facet
#> <ggproto object: Class FacetWrap, Facet, gg>
#> attach_axes: function
#> attach_strips: function
#> compute_layout: function
#> draw_back: function
#> draw_front: function
#> draw_labels: function
#> draw_panel_content: function
#> draw_panels: function
#> finish_data: function
#> format_strip_labels: function
#> init_gtable: function
#> init_scales: function
#> map_data: function
#> params: list
#> set_panel_size: function
#> setup_data: function
#> setup_panel_params: function
#> setup_params: function
#> shrink: TRUE
#> train_scales: function
#> vars: function
#> super: <ggproto object: Class FacetWrap, Facet, gg>
#>
#> $plot_env
#> <environment: R_GlobalEnv>
#>

```

```

#> $labels
#> $labels$x
#> [1] "years since cessation"
#>
#> $labels$y
#> [1] "proportion of remaining effect"
#>
#> $labels$ymin
#> [1] "excess_risk_percent_lb"
#>
#> $labels$ymax
#> [1] "excess_risk_percent_ub"
#>
#>
#> attr(,"class")
#> [1] "gg" "ggplot"

```

10 Tables

Table 1: Disease definitions and risk functions (with 95 percent confidence intervals) for current vs. never smoking.

Category	Disease	ICD-10	Relative risk	Source
	Oral cavity	C00-C06	1.91 (1.06–3.42)	(Maasland et al. 2014)
	Pharynx	C09, C10, C12-C14	3.43 (2.37–4.94)	(Gandini et al. 2008)
	Lung	C33, C34	10.92 (8.28–14.40)	(Jayes et al. 2016)
	Nasopharynx sinonasal	C11, C30, C31	1.95 (1.31–2.91)	(Gandini et al. 2008)
	Larynx	C32	7.01 (5.56–8.85)	(Zuo et al. 2017)
	Oesophageal (Adenocarcinoma)	C15	2.32 (1.96–2.75)	(Tramacere et al. 2011)
	Oesophageal (Squamous cell carcinoma)		4.21 (3.13–5.66)	(Prabhu et al. 2013)
	Stomach	C16	1.74 (1.50–2.02)	(Ordóñez-Mena et al. 2016)
	Pancreas	C25	1.90 (1.48–2.43)	(Ordóñez-Mena et al. 2016)
	Liver	C22	1.51 (1.37–1.67)	(Lee et al. 2009)
	Colorectal	C18-C20	1.20 (1.07–1.34)	(Ordóñez-Mena et al. 2016)
	Kidney	C64	1.35 (1.13–1.60)	(Cumberbatch et al. 2016)
	Lower urinary tract	C65, C66	2.77 (2.17–3.54)	(Gandini et al. 2008)

Table 1. Disease definitions and risk functions (with 95 percent confidence intervals) for current vs. never smoking. (*continued*)

Category	Disease	ICD-10	Relative risk	Source
	Bladder	C67	3.14 (2.53–3.75)	(Osch et al. 2016)
	Cervical	C53	1.83 (1.51–2.21)	(Gandini et al. 2008)
	Acute myeloid leukaemia	C92	1.36 (1.11–1.66)	(Colamesta et al. 2016)
Circulatory system	Ischaemic heart disease	I20-I25	Male 35–64: 3.18 (2.34–4.33), Male 65+: 1.96 (1.62–2.37), Female 35–64: 3.93 (2.56–6.05), Female 65+: 1.95 (1.60–2.37)	(Rostrom 2012)
	Haemorrhagic stroke	I60-I62		(Peters et al. 2013)
	Ischaemic stroke	I63-I67	Male: 1.57 (1.49–1.88), Female: 1.83 (1.58–2.12)	(Peters et al. 2013)
	Peripheral arterial disease	I73.9	2.71 (2.28–3.21)	(Lu et al. 2014)
	Abdominal aortic aneurysm	I71	2.41 (1.94–3.01)	(Cornuz et al. 2004)
	Venous thromboembolism	I26,I80-I82	1.23 (1.14–1.33)	(Cheng et al. 2013)
	Chronic obstructive pulmonary disease	J40-J44,J47	4.01 (3.18–5.05)	(Jayes et al. 2016)
Respiratory system	Asthma	J45-J46	1.61 (1.07–2.42)	(Jayes et al. 2016)
	Tuberculosis	A15-A19	1.57 (1.18–2.10)	(Jayes et al. 2016)
	Obstructive sleep apnoea	G47.3	1.97 (1.02–3.82)	(Jayes et al. 2016)
	Pneumonia	J12-J18	2.18 (1.69–2.80)	(Tobacco Advisory Group of the Royal College of Physicians 2018)
	Influenza (clinically diagnosed)	J11	1.34 (1.13–1.59)	(Tobacco Advisory Group of the Royal College of Physicians 2018)
	Influenza (microbiologically confirmed)	J09, J10	5.69 (2.79–11.60)	(Tobacco Advisory Group of the Royal College of Physicians 2018)
	Idiopathic pulmonary fibrosis	J84.1	1.58 (1.27–1.97)	(Taskar and Coultas 2006)

Table 1: Disease definitions and risk functions (with 95 percent confidence intervals) for current vs. never smoking. (*continued*)

Category	Disease	ICD-10	Relative risk	Source
Mental health	Alzheimers disease	G30	1.40 (1.13–1.73)	(Zhong et al. 2015)
	Vascular dementia	F01	1.38 (1.15–1.66)	(Zhong et al. 2015)
	All cause dementia	F02,F03	1.30 (1.18–1.45)	(Zhong et al. 2015)
	Depression	F32,F33	1.62 (1.10–2.40)	(Luger et al. 2014)
	Psychosis	F28,F29	2.18 (1.23–3.85)	(Gurillo et al. 2015)
	Schizophrenia	F20-F25	2.24 (1.10–4.55)	(Tobacco Advisory Group of the Royal College of Physicians 2018)
	Bulimia	F50.2	2.32 (1.12–4.78)	(Solmi et al. 2016)
Other adult diseases	Diabetes (type 2)	E11	1.37 (1.33–1.42)	(Pan et al. 2015)
	Multiple sclerosis	G35	1.55 (1.48–1.62)	(Zhang et al. 2016)
	Systematic lupus erythematosus	M32	1.56 (1.26–1.95)	(Jiang et al. 2015)
	Low back pain	M54	1.16 (1.02–1.32)	(Shiri et al. 2010)
	Rheumatoid arthritis	M05,M06	2.02 (1.75–2.33)	(Di Giuseppe et al. 2014)
	Psoriasis	L40	1.78 (1.52–2.06)	(Armstrong et al. 2014)
	Age related macular degeneration	H35.3-H52.4	1.86 (1.27–2.73)	(Chakravarthy et al. 2010)
	Senile cataract	H25	1.47 (1.36–1.59)	(Ye et al. 2012)
	Crohns disease	K50	1.76 (1.40–2.22)	(Mahid et al. 2006)
	Hip fracture	S72.0-S72.2	1.30 (1.16–1.45)	(Shen et al. 2015)
	Chronic kidney disease	N18.1,N18.2,N18.3,N18.4,N18.8,N18.9	1.34 (1.23–1.47)	(Xia et al. 2017)
	End-stage renal disease	N18.5,N18.0	1.91 (1.39–2.64)	(Xia et al. 2017)
	Hearing loss	H90,H91	1.97 (1.44–2.70)	(Nomura et al. 2005)
Conditions less common among smokers	Ulcerative colitis	K51	0.55 (0.33–0.91)	(Dias et al. 2015)
	Parkinson	G20	0.46 (0.42–0.51)	(Breckenridge et al. 2016)

References

- Angus, Colin, M Henney, L Webster, and Duncan Gillespie. 2018. *Alcohol-Attributable Diseases and Dose-Response Curves for the Sheffield Alcohol Policy Model Version 4.0*. <https://doi.org/10.15131/shef.data.6819689.v1>.
- Armstrong, A. W., C. T. Harskamp, J. S. Dhillon, and E. J. Armstrong. 2014. "Psoriasis and Smoking: A Systematic Review and Meta-Analysis." Journal Article. *Br J Dermatol* 170 (2): 304–14. <https://doi.org/10.1111/bjd.12670>.
- Bosetti, C, E Lucenteforte, DT Silverman, et al. 2011. "Cigarette Smoking and Pancreatic Cancer: An Analysis from the International Pancreatic Cancer Case-Control Consortium (Panc4)." Journal Article. *Annals of Oncology* 23 (7): 1880–88.
- Breckenridge, Charles B., Colin Berry, Ellen T. Chang, Jr. Sielken Robert L., and Jack S. Mandel. 2016. "Association Between Parkinson's Disease and Cigarette Smoking, Rural Living, Well-Water Consumption, Farming and Pesticide Use: Systematic Review and Meta-Analysis." Journal Article. *PLOS ONE* 11 (4): e0151841. <https://doi.org/10.1371/journal.pone.0151841>.
- Brown, Katrina F., Harriet Rumgay, Casey Dunlop, et al. 2018. "The Fraction of Cancer Attributable to Modifiable Risk Factors in England, Wales, Scotland, Northern Ireland, and the United Kingdom in 2015." Journal Article. *British Journal of Cancer* 118 (8): 1130–41. <https://doi.org/10.1038/s41416-018-0029-6>.
- Chakravarthy, Usha, Tien Y Wong, Astrid Fletcher, et al. 2010. "Clinical Risk Factors for Age-Related Macular Degeneration: A Systematic Review and Meta-Analysis." Journal Article. *BMC Ophthalmology* 10 (1): 31.
- Cheng, Jiemin, Yi Chen, Xiaolin Wang, et al. 2015. "Meta-Analysis of Prospective Cohort Studies of Cigarette Smoking and the Incidence of Colon and Rectal Cancers." Journal Article. *European Journal of Cancer Prevention* 24 (1): 6–15.
- Cheng, Yun-Jiu, Zhi-Hao Liu, Feng-Juan Yao, et al. 2013. "Current and Former Smoking and Risk for Venous Thromboembolism: A Systematic Review and Meta-Analysis." Journal Article. *PLoS Medicine* 10 (9): e1001515.
- Colamesta, Vittoria, Silvia D'Aguanno, Massimo Breccia, Sara Bruffa, Claudio Cartoni, and Giuseppe La Torre. 2016. "Do the Smoking Intensity and Duration, the Years Since Quitting, the Methodological Quality and the Year of Publication of the Studies Affect the Results of the Meta-Analysis on Cigarette Smoking and Acute Myeloid Leukemia (AML) in Adults?" Journal Article. *Critical Reviews in Oncology/Hematology* 99: 376–88.
- Cornuz, Jacques, Claudio Sidoti Pinto, Heindrik Tevaearai, and Matthias Egger. 2004. "Risk Factors for Asymptomatic Abdominal Aortic Aneurysm: Systematic Review and Meta-Analysis of Population-Based Screening Studies." Journal Article. *The European Journal of Public Health* 14 (4): 343–49.
- Cumberbatch, Marcus G, Matteo Rota, James WF Catto, and Carlo La Vecchia. 2016. "The Role of Tobacco Smoke in Bladder and Kidney Carcinogenesis: A Comparison of Exposures and Meta-Analysis of Incidence and Mortality Risks." Journal Article. *European Urology* 70 (3): 458–66.
- Di Giuseppe, Daniela, Andrea Discacciati, Nicola Orsini, and Alicja Wolk. 2014. "Cigarette Smoking and Risk of Rheumatoid Arthritis: A Dose-Response Meta-Analysis." Journal Article. *Arthritis Research & Therapy* 16 (2): R61.
- Dias, C. C., P. P. Rodrigues, A. da Costa-Pereira, and F. Magro. 2015. "Clinical Predictors of Colectomy

- in Patients with Ulcerative Colitis: Systematic Review and Meta-Analysis of Cohort Studies.” Journal Article. *J Crohns Colitis* 9 (2): 156–63. <https://doi.org/10.1093/ecco-jcc/jju016>.
- Fircanis, Sophia, Priscilla Merriam, Naushaba Khan, and Jorge J Castillo. 2014. “The Relation Between Cigarette Smoking and Risk of Acute Myeloid Leukemia: An Updated Meta-analysis of Epidemiological Studies.” Journal Article. *American Journal of Hematology* 89 (8): E125–32.
- Gandini, Sara, Edoardo Botteri, Simona Iodice, et al. 2008. “Tobacco Smoking and Cancer: A Meta-analysis.” Journal Article. *International Journal of Cancer* 122 (1): 155–64. <https://onlinelibrary.wiley.com/doi/pdf/10.1002/ijc.23033>.
- Gurillo, Pedro, Sameer Jauhar, Robin M. Murray, and James H. MacCabe. 2015. “Does Tobacco Use Cause Psychosis? Systematic Review and Meta-Analysis.” Journal Article. *The Lancet Psychiatry* 2 (8): 718–25. [https://doi.org/10.1016/S2215-0366\(15\)00152-2](https://doi.org/10.1016/S2215-0366(15)00152-2).
- International Agency for Research on Cancer and World Health Organization. 2007. *Reversal of Risk After Quitting Smoking*. Report.
- Jayes, Leah, Patricia L. Haslam, Christina G. Gratziou, et al. 2016. “SmokeHaz: Systematic Reviews and Meta-Analyses of the Effects of Smoking on Respiratory Health.” Journal Article. *CHEST Journal* 150 (1): 164–79.
- Jiang, Fan, Suyun Li, and Chongqi Jia. 2015. “Smoking and the Risk of Systemic Lupus Erythematosus: An Updated Systematic Review and Cumulative Meta-Analysis.” Journal Article. *Clinical Rheumatology* 34 (11): 1885–92.
- Knowler, William C, Elizabeth Barrett-Connor, Sarah E Fowler, et al. 2002. “Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin.” Journal Article. *The New England Journal of Medicine* 346 (6): 393–403.
- Kontis, Vasilis, Colin D Mathers, Jürgen Rehm, et al. 2014. “Contribution of Six Risk Factors to Achieving the 25× 25 Non-Communicable Disease Mortality Reduction Target: A Modelling Study.” Journal Article. *The Lancet* 384 (9941): 427–37.
- Ladeiras-Lopes, Ricardo, Alexandre Kirchhofer Pereira, Amanda Nogueira, et al. 2008. “Smoking and Gastric Cancer: Systematic Review and Meta-Analysis of Cohort Studies.” Journal Article. *Cancer Causes & Control* 19 (7): 689–701.
- Lee, Yuan-Chin Amy, Catherine Cohet, Yu-Ching Yang, Leslie Stayner, Mia Hashibe, and Kurt Straif. 2009. “Meta-Analysis of Epidemiologic Studies on Cigarette Smoking and Liver Cancer.” Journal Article. *International Journal of Epidemiology* 38 (6): 1497–511.
- Lu, L, DF Mackay, and JP Pell. 2014. “Meta-Analysis of the Association Between Cigarette Smoking and Peripheral Arterial Disease.” Journal Article. *Heart* 100 (5): 414–23.
- Luger, Tana M., Jerry Suls, and Mark W. Vander Weg. 2014. “How Robust Is the Association Between Smoking and Depression in Adults? A Meta-Analysis Using Linear Mixed-Effects Models.” Journal Article. *Addictive Behaviors* 39 (10): 1418–29. <https://doi.org/http://doi.org/10.1016/j.addbeh.2014.05.011>.
- Maasland, Denise HE, Piet A van den Brandt, Bernd Kremer, R Alexandra Sandra Goldbohm, and Leo J Schouten. 2014. “Alcohol Consumption, Cigarette Smoking and the Risk of Subtypes of Head-Neck Cancer: Results from the Netherlands Cohort Study.” Journal Article. *BMC Cancer* 14 (1): 187.
- Mahid, S. S., K. S. Minor, R. E. Soto, C. A. Hornung, and S. Galandiuk. 2006. “Smoking and Inflammatory

- Bowel Disease: A Meta-Analysis.” Journal Article. *Mayo Clin Proc* 81 (11): 1462–71. <https://doi.org/10.4065/81.11.1462>.
- Nomura, Kyoko, Mutsuhiro Nakao, and Takeshi Morimoto. 2005. “Effect of Smoking on Hearing Loss: Quality Assessment and Meta-Analysis.” Journal Article. *Preventive Medicine* 40 (2): 138–44.
- Ordóñez-Mena, José Manuel, Ben Schöttker, Ute Mons, et al. 2016. “Quantification of the Smoking-Associated Cancer Risk with Rate Advancement Periods: Meta-Analysis of Individual Participant Data from Cohorts of the CHANCES Consortium.” Journal Article. *BMC Medicine* 14 (1): 62.
- Osch, Frits HM van, Sylvia HJ Jochems, Frederik-Jan van Schooten, Richard T Bryan, and Maurice P Zeegers. 2016. “Quantified Relations Between Exposure to Tobacco Smoking and Bladder Cancer Risk: A Meta-Analysis of 89 Observational Studies.” Journal Article. *International Journal of Epidemiology* 45 (3): 857–70.
- Oza, Shefali, Michael J Thun, S Jane Henley, Alan D Lopez, and Majid Ezzati. 2011. “How Many Deaths Are Attributable to Smoking in the United States? Comparison of Methods for Estimating Smoking-Attributable Mortality When Smoking Prevalence Changes.” Journal Article. *Preventive Medicine* 52 (6): 428–33.
- Pan, An, Yeli Wang, Mohammad Talaei, Frank B Hu, and Tangchun Wu. 2015. “Relation of Active, Passive, and Quitting Smoking with Incident Type 2 Diabetes: A Systematic Review and Meta-Analysis.” Journal Article. *The Lancet Diabetes & Endocrinology* 3 (12): 958–67.
- Peters, Sanne AE, Rachel R Huxley, and Mark Woodward. 2013. “Smoking as a Risk Factor for Stroke in Women Compared with Men: A Systematic Review and Meta-Analysis of 81 Cohorts, Including 3 980 359 Individuals and 42 401 Strokes.” Journal Article. *Stroke* 44 (10): 2821–28.
- Prabhu, A, KO Obi, and JH Rubenstein. 2013. “Systematic Review with Meta-analysis: Race-specific Effects of Alcohol and Tobacco on the Risk of Oesophageal Squamous Cell Carcinoma.” Journal Article. *Alimentary Pharmacology & Therapeutics* 38 (10): 1145–55.
- Rostron, Brian. 2012. “Smoking-Attributable Mortality by Cause in the United States: Revising the CDC’s Data and Estimates.” Journal Article. *Nicotine & Tobacco Research* 15 (1): 238–46.
- Shen, Guang Si, Yong Li, GuoYang Zhao, et al. 2015. “Cigarette Smoking and Risk of Hip Fracture in Women: A Meta-Analysis of Prospective Cohort Studies.” Journal Article. *Injury* 46 (7): 1333–40.
- Shiri, Rahman, Jaro Karppinen, Päivi Leino-Arjas, Svetlana Solovieva, and Eira Viikari-Juntura. 2010. “The Association Between Smoking and Low Back Pain: A Meta-Analysis.” Journal Article. *The American Journal of Medicine* 123 (1): 87. e7–35.
- Solmi, Marco, Nicola Veronese, Giuseppe Sergi, et al. 2016. “The Association Between Smoking Prevalence and Eating Disorders: A Systematic Review and Meta-Analysis.” Journal Article. *Addiction* 111 (11): 1914–22. <https://doi.org/10.1111/add.13457>.
- Taskar, Varsha S, and David B Coultas. 2006. “Is Idiopathic Pulmonary Fibrosis an Environmental Disease?” Journal Article. *Proceedings of the American Thoracic Society* 3 (4): 293–98.
- Tobacco Advisory Group of the Royal College of Physicians. 2018. “Hiding in plain sight: Treating tobacco dependency in the NHS.” Research report. Available from: <https://www.rcplondon.ac.uk/projects/outputs/hiding-plain-sight-treating-tobacco-dependency-nhs>.
- Tramacere, Irene, Carlo La Vecchia, and Eva Negri. 2011. “Brief Report: Tobacco Smoking and Esophageal

- and Gastric Cardia Adenocarcinoma: A Meta-Analysis.” Journal Article. *Epidemiology*, 344–49.
- Xia, Jia, Lin Wang, Zhiheng Ma, et al. 2017. “Cigarette Smoking and Chronic Kidney Disease in the General Population: A Systematic Review and Meta-Analysis of Prospective Cohort Studies.” Journal Article. *Nephrology Dialysis Transplantation* 32 (3): 475–87.
- Ye, Juan, Jinjing He, Changjun Wang, et al. 2012. “Smoking and Risk of Age-Related Cataract: A Meta-Analysis.” Journal Article. *Investigative Ophthalmology & Visual Science* 53 (7): 3885–95.
- Zhang, Peng, Rui Wang, Zhijun Li, et al. 2016. “The Risk of Smoking on Multiple Sclerosis: A Meta-Analysis Based on 20,626 Cases from Case-Control and Cohort Studies.” Journal Article. *PeerJ* 4: e1797.
- Zhong, Guochao, Yi Wang, Yong Zhang, Jeff Jianfei Guo, and Yong Zhao. 2015. “Smoking Is Associated with an Increased Risk of Dementia: A Meta-Analysis of Prospective Cohort Studies with Investigation of Potential Effect Modifiers.” Journal Article. *PLoS One* 10 (3): e0118333.
- Zuo, Jing-Jing, Ze-Zhang Tao, Chen Chen, et al. 2017. “Characteristics of Cigarette Smoking Without Alcohol Consumption and Laryngeal Cancer: Overall and Time-Risk Relation. A Meta-Analysis of Observational Studies.” Journal Article. *European Archives of Oto-Rhino-Laryngology* 274 (3): 1617–31.